# ePrescribe Setup Guide

## For DentalVision



1-800-DSCHEIN

### **Publication Date**

May 2024

### Copyright

© 2024 Henry Schein One. All rights reserved. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language in any form by any means without the prior written permission of Henry Schein One.

### **Software License Notice**

Your license agreement with Henry Schein One, which is included with the product, specifies the permitted and prohibited uses of the product. Any unauthorized duplication or use of ePrescribe or DentalVision in whole or in part, in print, or in any other storage and retrieval system is forbidden.

### **Licenses and Trademarks**

DentalVision, Henry Schein One, and the Henry Schein One logo are registered trademarks of Henry Schein One. Microsoft, Windows, and Windows 10 are registered trademarks of Microsoft Corporation. Veradigm is a trademark of Allscripts Healthcare, LLC. Allscripts is either a trademark or a registered trademark of Allscripts Healthcare, LLC.

# Contents

Introduction & Setup	1
Meeting the Pre-requisites	2
Activating ePrescribe	2
Configuring Practice Information	2
Configuring Provider Information	2
Preparing for First-time Use	5
Linking an ePrescribe Account	
Registering for EPCS	
Usage	45
Usage Opening ePrescribe	
Opening ePrescribe	
Opening ePrescribe Editing Patients	
Opening ePrescribe Editing Patients Adding and Editing Allergies	

# **Introduction & Setup**

ePrescribe allows you to submit prescriptions to pharmacies online. The ePrescribe features of DentalVision are available as an add-on. To get this add-on, you must purchase a license to enable ePrescribe in DentalVision. The online access to ePrescribe is a third-party service provided by Veradigm (formerly Allscripts). This guide will help you understand how to set up and use the ePrescribe features.

This chapter covers several topics about how to activate ePrescribe and set up locations and users to use ePrescribe. The first four items below are tasks that you must perform in DentalVision before you begin configuring ePrescribe:

- Meeting the Pre-requisites
- Activating ePrescribe
- Configuring Practice Information
- Configuring Provider Information

**Important**: All of the tasks above should be completed before a trainer starts the training with your office. For information about training, contact Customer Support at 800-323-3370, Option 2.

These final tasks need to be done in ePrescribe after purchasing and enabling ePrescribe:

- Enabling Locations
- Adding Users
- Preparing for First-time Use
- Linking an ePrescribe Account
- Registering for EPCS
- Adding Sites in ePrescribe

Note: ePrescribe refers to locations (or clinics) as "sites."

## **Meeting the Pre-requisites**

Before you attempt any setup and configuration of ePrescribe, you must meet the following pre-requisites:

- 1. Purchase ePrescribe licenses:
  - Call your sales manager, or
  - Call the Sales department at 800-680-6902.
- **2**. Install DentalVision 14.0 or later. To take advantage of all the functionality described in this guide, you must install the latest version of DentalVision.
- 3. Have passwords enabled and set up in DentalVision.

\* Make sure these requirements are met before a trainer starts the training with your office.

**Important**: If a provider has been signed up with ePrescribe previously and already has an active Electronic Prescribing of Controlled Substances (EPCS) account through ID.me, that provider must link his or her EPCS account to ePrescribe instead of signing up for an account. The provider will need his or her Veradigm (formerly Allscripts) security account credentials, which are the login ID and password associated with the provider's ePrescribe user account.

## **Activating ePrescribe**

The steps in this section must be completed with the help of an ePrescribe Adoption Specialist or DentalVision Customer Support (800-323-3370, Option 2).

## **Configuring Practice Information**

You must configure your practice information in DentalVision to use ePrescribe. For more information, see the topic "Adding and editing practice locations" in the DentalVision Help.

## **Configuring Provider Information**

You must configure information for all providers who you want to enable to use ePrescribe. For more information, see the topic "Adding and editing practice locations" in the DentalVision Help.

## **Adding Users**

Be aware that the first time a user who can prescribe attempts to use ePrescribe, he or she must complete an identity verification process through Veradigm (formerly Allscripts; the third-party vendor that provides the ePrescribe services), which consists of filling out an online form. For more information about this process, see "Opening ePrescribe" in the Usage chapter.

Additionally, if a user can prescribe controlled substances, he or she must complete a registration process for Electronic Prescribing of Controlled Substances (EPCS). For information about this process, see "Registering for EPCS" in this chapter.

#### To add a user

- In DentalVision, from the File menu, click Locations. and then click Setup. The Practice Locations Table dialog box appears.
- 2. Click e-Rx Admin.
  - The **Administration ePrescribe** window appears.
- 3. Click Users.

The Users page appears.

dministratio	n - ePrescribe				×
Users					1.0.33.0
Location:	My Dental Practice - S	ite 3 [DP3]			
ID		Jser Name	Name	Status	Add
2	Imorrison		Morrison DMD, Larry	Confirmed	Add
1	dsmith		Smith DMD, Dennis	Enabled	Confirm
					View
					Disable
					Locations
License					
Allowe	ed Providers: 10	In Use: 2 Available	: 8 Expires: 12/31/2016		View EULA
					Close
					cion

#### 4. Click Add.

The User Details page appears.

@ Administration - ePrescrib	e				<b>X</b>
User Details					1.0.33.0
Location	n: My Dental Practice - Site 2 [DP2]	]	DEA License:		
Logon l	Jser: Hayes, Sally		DEA Lic. Expiration:		
User Ty	pe: Prescribe On Behalf		DEA Schedule:		
Provide	r: Hayes, Sally		State License:		
Adminis	strator:		State Lic. Expiration:		
Email:		].	State Lic. State:		
Upload	Status: Upload pending	]	NPI:		
				Disable Save	Cancel

**Important**: A yield symbol  $\triangle$  indicates that required data has not been entered. If this symbol appears next to the **Email**, **DEA License**, **DEA Lic. Expiration**, **State License**, **State Lic. Expiration**, **State Lic. State**, or **NPI** box, close ePrescribe, enter the appropriate provider information, and then return to this point.

5. Click the **User** search button  $\ge$  to select a provider or a staff member.

ID:	Name:	
ID	Name	Status
DDS78	Country DMD, Doctor	Disabled
DDS90	Location 3 DMD, Doc	Disabled
DDS67	Third DMD, Location	Disabled
DDS221	Groove DMD, Test	Disabled

- 6 Select the provider you want to make an administrator from the list, and then click Select.
- 7. Select the **Administrator** check box if the user is to be an administrator of ePrescribe.

**Note**: If your organization has multiple providers who prescribe controlled substances, it is recommended that you have a user who is not one of those providers be an ePrescribe administrator.

8. Click Save.

**Important**: After you enable a provider's user account to use ePrescribe, if the provider has been signed up with ePrescribe previously and already has an active Electronic Prescribing of Controlled Substances (EPCS) account through Zentry (formerly Verizon) or ID.me, skip "Preparing for First-time Use" on page 5. That provider must, instead, link his or her EPCS account to ePrescribe as explained in "Linking an ePrescribe Account" on page 33. The provider will need his or her Veradigm (formerly Allscripts) security account credentials, which are the login ID and password associated with the provider's ePrescribe user account.

## **Preparing for First-time Use**

The first time a user who has been enabled to use ePrescribe opens ePrescribe, he or she must go through an identity verification process and accept the End User License Agreement (EULA) for Veradigm (formerly Allscripts) ePrescribe. Providers who prescribe medications must complete additional identity verification steps.

Also, providers who prescribe controlled substances must complete the identity verification process explained in this section before they can register for Electronic Prescribing of Controlled Substances (EPCS) as explained in "Registering for EPCS" in this chapter.

#### To prepare for first-time use

 Log in to DentalVision with a user account that has been enabled to use ePrescribe. Then, from the Office Manager, click the Electronic Rx Task Mode button 2 on the toolbar to open ePrescribe.

If you have not used ePrescribe yet, the **Welcome to the Veradigm Security Account Activation Wizard!** page appears.

Tasks - ePrescribe			—		×
🔇 veradigm.					^
Welcome to the Veradigm Securit	Account Activ	vation Wizard!			
Enroll Now		Link Accounts	2613160		
Please use this option to create a new Security Account.	v Veradigm	Please use this option to use an exist Security Account Login if you ha	-	ligm	
Sign Up		Link Accounts			
		ibe Customer Support			~
2.0.3.0	ePrescr	ibeSupport@Veradigm.com Powered by Allscripts		Close	

2. Click Sign Up.

The Veradigm security account information page appears.

🧧 Tasks - ePrescribe			×
🔯 verad	digm.		^
Create New Accou	Int		
PERSONAL INFORMA	TION		
* First Name			
Middle Name			
* Last Name			
* Personal Email			
USER CREDENTIALS	& SECURITY		
* Username			
* Password			
* Confirm Password			
Rules	Must have between 8 (min) and 25 (max) characters and any three of the following: • One (1) upper case character		
	<ul> <li>One (1) lower case character</li> <li>One (1) special character</li> <li>One (1) surplus</li> </ul>		
	One (1) number     Select Security Questions     Provide Answers		
	What was your childhood nickname?		
	In what city did you meet your spouse/significant other?		
	What is the name of your favorite childhood pet?		
ACKNOWLEDGEMEN	r		
Captcha G	Type the Captcha code here       \$284B2		
□ I have reviewed my	registration entries		
Submit			~
2.0.3.0	Powered by Allscripts	Close	

#### **3**. Complete the form.

Notes:

- Providers must use their own personal email addresses.
- After you specify a user name, when you click outside the box, a green check mark appears if that user name is available.
- 4. Click Submit.

A message appears, stating that your shield account is set up.

5. Close and reopen ePrescribe (in task mode).

One of the following occurs:

- If you are logged in as a prescriber, the Welcome to Veradigm ePrescribe page appears. Proceed to step 6.
- If you are logged in as a non-prescriber (staff or prescribe-on-behalf user), the End User License Agreement page appears. Skip to step 5 under "Finishing ePrescribe Setup."
- 6. Read the instructions for verifying your identity.

**Important**: To verify your identity through ID.me, you must have the following:

- A smartphone or tablet with iOS 10.3 or later, or Android 6 or later. The smart device must also have a camera and Web browser and be able to receive text messages.
- Make sure you have the ID.me Authenticator app installed on your smart phone or tablet and have the proper identification, and then c
- The ID.me Authenticator app (which is used for two-factor authentication) installed on your smart phone or tablet. You can download this app from the Apple Store or Google Play.
- Veradigm (formerly Allscripts) security account credentials. These credentials are the login ID and password that are associated with the provider's ePrescribe user account.
- A personal or a private email address. A group or shared email is not allowed.
- A valid driver's license, a state ID, a passport, or a passport card. Alternatively, you can answer questions about your credit history.
- A Social Security Number.
- 7. Close ePrescribe.

**Important**: When you create your ID.me account, you'll need to take pictures for identification, so you'll need to complete the remaining steps in this chapter from your smart phone or tablet.

8. Using the Google Chrome or Microsoft Edge browser on your smart phone or tablet, go to <u>eprescribe.</u> <u>allscripts.com</u>.



9. Use your ePrescribe user name and password (created in steps 1-4) to log in to the Veradigm website.

The Welcome to Veradigm - ePrescribe page appears.

10. Tap Continue.

The Security Account Login page appears.

11. Enter your ePrescribe username and password that you just created in steps 1-4, and then tap Log In.

## **Creating an ID.me Account**

After creating your Veradigm security account, you'll need to create an ID.me account (if you don't already have one) and link it to the Veradigm security account you just created.

**Note**: You will use these same ID.me account steps if you link to an existing ePrescribe account or register for EPCS, so this "Creating an ID.me Account" section is referenced again in those later sections of this guide.

After logging in to your ePrescribe security account, the following page appears.



### Credential Service Provider (CSP) Accounts

Provider Provider Account ID Assurance Level

Connect to ID.me

- **1**. Do one of the following:
  - If you already have an ID.me account, select the account from the list and then tap **Connect to ID.me**. Skip all the way to step ????? where you will give consent to ID.me to use your camera for a selfie photo.
  - If you do not have an ID.me account, create one:
    - a. Tap Connect to ID.me.

The **Create an ID.me account** page appears.

If you already have an ID.me account, do not create a new one. Sign in to your existing a second	
Email* Enter your personal email address Password* Enter password Confirm Password* Reenter password Reenter password Reenter password I accept the ID me Torms of Service and Privac	
Password* Enter password Confirm Password* Reenter password Reenter password Remember me For your socurity, solect only on your devices. I accept the ID me Torms of Service and Privac	
Enter password * Confirm Password * Reenter password Reenter password Remember me For your security, select only on your devices. I accept the ID me Torms of Service and Privac	
Confirm Password * Reenter password Remember me For your security, select only on your devices. I accept the ID me Torms of Service and Privac	
Reenter password      Remember me     For your security, select only on your devices.      I accept the ID me Torms of Service and Privac	
Remember me For your security, select only on your devices.     I accept the ID me Torms of Service and Privac	
For your security, select only on your devices.  I accept the ID me Torms of Service and Privac	
	x
Create account	
OR	
f 🕯 G	in
View more options	

- Enter your email address in the Email box, enter a password in the Password and Confirm Password boxes, and select the I accept the ID.me Terms of Service and Privacy Policy check box.
- c. Tap Create account.

The	Confirm	Your	Email	Address	page	appears.
-----	---------	------	-------	---------	------	----------

(	CONFIRM YOUR EMAIL ADDRESS
	We sent an email to laurie.olson11131@allscripts.com.
	Click the link in our email
	ck your inbox for an email from hello@id.me nd click the link inside to confirm your email address.
	ou do not receive an email within 10 minutes, ck your spam folder and verify it hasn't been blocked.
	Why do I need to confirm my email?
	OR
	er the 6-digit code from the email
	Confirm code
	Didn't receive the email?
	Resend my verification

- **d**. Do one of the following:
  - Tap the link in the confirmation email you received.
  - Under **Confirmation Code**, enter the 6-digit confirmation code from the email you received.
- e. Tap Confirm Code.

In ePrescribe, the **Secure Your Account** page appears and displays the multi-factor authentication (MFA) options.

0 2 3
Choose an MFA option
n multi-factor authentication (MFA), even if cone guesses your password, they won't be able to sign in as you.
Code Generator Application
 Generate verification codes via code generator apps like ID.me Authenticator.

- **2**. Set up multi-factor authentication:
  - a. Tap the Code Generator Application box.

The enrollment options appear.

1)	2 3
Download an A	uthenticator app
	e a link to download the enticator app
Ē	M
Text message	Email
•	
lready have one? Open th	OR he app and choose one of t hg options
lready have one? Open th	he app and choose one of t
Iready have one? Open the following the foll	ne app and choose one of t ng options
Iready have one? Open the following	e app and choose one of the options

**b**. Enter your phone number or email address.

A link to download the ID.me authenticator app will be sent to the phone number or email address you provided.

c. Under Enter the 6-digit code, enter the code to confirm the MFA device.

**Tip**: Under **Name your device**, it is also recommended to type a descriptive name for your MFA device.

SECURE YOU	RACCOUNT
1)(2	3
Confirm yo	our device
Please check your code g the 6-digit code to cor accor	mplete securing your
Enter the 6-digit code *	
792	772
Name your device	
My device	
Goback	Continue

#### **d**. Tap **Continue**.

The Your account is now secure screen appears.

YO	UR ACCOUNT IS NOW SECURE
You ha	we secured your account with multi-factor tication using a code generator application.
	<b>⊖</b> <sub>⊗</sub>
Visit <u>ID</u>	me My Account to view and manage multi- factor authentication settings.
	Recovery code ery code can be used in the event you lose to your multi-factor authentication device.
	Generate recovery code
	Continue

e. Tap **Generate recovery code** to have ID.me generate a one-time recovery code you can use if you ever need to recover access to your account in the event that you change or lose your smart device. A recovery code is required any time you change your multi-factor authentication.

	A	
change phones o	backup code to log in in c r lose access to your MFA ; write down or <u>download</u>	device
	his code. Do not share it.	
IDME-JB	Y7-LX4M-TUF7	Ō

**Note**: If you previously had a different ID.me recovery code, it is not longer valid; use this new code instead. A new recovery code is generated automatically after the previous code is used.

**Tip**: Save or write down this recovery code (and date generated) in a safe place where you can access it later, such as in a file on another device or in the cloud. recovery code each time.


f. Tap Continue.

The Verify Your Identity page appears.

VERIFY YOUR IDENTITY				
credit	We'll need permission to use details from your credit profile and other public sources to verify your identity. This will not affect your credit score.			
	Choose a verification method			
<b>8</b> =	Upload photos of your license or state ID Upload photos of your driver's license or state ID, and enter your social security number.			
	Upload a photo of your passport Upload a photo of your passport and enter your social security number.			
<b>#</b> ]	<u>Upload photos of your passport card</u> Upload photos of your passport card and enter your social security number.			

- **3**. Complete the identity proofing steps:
  - **a.** Under **Choose a verification method**, tap the box that corresponds to how you want to verify your identity. For the purposes of this guide, the uploading of license photos is explained, but the following methods are available:
    - Upload photos of your license or state ID
    - Upload a photo of your passport
    - Upload photos of your passport Card
  - **b.** If the **Biometric Information Privacy Statement** page opens, read the policy, select the check box to acknowledge that you understand, and then tap **Continue**.

The Choose how to submit photos options appear.



c. Tap **Take photo** to display the Consent screen.




**d**. At the **Consent** screen, tap **Continue**.

The Take photos of your identity document screen appears.


3	VERIFY YOUR IDENTITY
0	2-3-4-5
Tak	e photos of your identity
	document
	a mobile phone number, then we'll t you a link to take photos of your identity document.
lentity Docu	ment
	Number
lobile Phone	Numbor hartphone must have a camera and a web
lobile Phone	Numbor
Your sm By enter receive no	Numbor hartphone must have a camera and a web
Your ser	Numbor hartphone must have a camera and a web browser. hing your phone number, you agree to tifications through text message or voice ing sign-in attempts in order to protect

- **e**. Enter your mobile phone number. The number must be registered to you under your full legal name, and the phone must be able to receive text messages.
- **f**. Tap **Continue**.
- g. If a message appears asking if this is your email address, tap Yes.

ID.me displays the following screen where you can begin to take photos of your license.




h. Tap Start document upload.



The browser opens and displays the Take Photos With Your Phone page.

**i**. In the upper box, tap **Take photo of your driver's license or state ID (FRONT)** to take a photo of the front of your license.

The option to take a photo appears.



- j. Tap Take Photo.
- **k**. Use your device's camera to take a picture of the front of your license.



The resulting photo appears.




1. Tap Continue.

The upper box now displays the photo of the front of the license.

**m**. In the lower box, tap the **Take photo of your driver's license or state ID (BACK)** link to take a photo of the back of your license.

The option to take a photo appears.



### **n**. Tap **Take photo**.

**o**. Use your device's camera to take a picture of the back of your license.



The resulting photo appears.

	1 2 3 4 5
Tak	e photo of your driver's license o state ID
d	Choose a photo of the back side of your ocument. Then click "Continue" to proceed.
	A second se
	Take a different photo
Ple do	ase check the following to make sure you cument can be processed: The image is clear and not blurry (including your photo and/or barcode) All information is visible (e.g., expiration date)
•	The document is not captured at an angle
	Continue
	Back


**p**. Tap **Continue**.

The lower box now displays the photo of the back of the license.




**q.** If the photos of your license are clearly displayed on your device, tap **Submit your photos** to upload the photos.

When the images have been submitted, you'll be prompted to submit a "Selfie" to verify your identity.




**r**. Tap **Take a Selfie**, take the selfie, and then tap **Continue**.

When you see the **Images submitted** screen below, you may need to switch back to an earlier browser tab or device before continuing.



The Enter Your Social Security Number page appears.




s. Enter your Social Security Number, and then tap Continue.

Your identity information appears for you to verify.


VERIFI	YOUR IDENTITY
1-2	-3-4-5
	ormation displayed correctly?
	se the following information to ntity against trusted sources.
What does this mea	n?
Personal informa	ition
First Name	VERONICA
Middle Name	c
Last Name	PERSINGER
Date of Birth	07/09/1942
Home address	
Street	6647 WILDFLOWER DR S
City	COTTAGE GROVE
State	MN
Zip Code	55016
Phone number	
Mobile Phone	919-919-1919
	e provided is correct, and I accep <u>dit Reporting Act</u> data to varify m
What is The Federal	Fair Credit Reporting Act?

- t. Confirm that your information is correct, and then select the **The information I've provided is** correct, and I accept the use of Fair Credit Reporting Act data to verify my identity check box.
- u. Click Yes.

The Confirming Your Phone screen appears.



 v. Click Verify phone, and ID.me will send a test message to confirm your phone number. The You Are Verifying for Veradigm screen appears.



w. Verify that this is the email address you registered with ID.me, and then click Yes.

#### Notes:

- This step is necessary as a fraud prevention measure.
- If prompted to "Return to the other open browser tab to continue," you may need to return to the original browser tab or device where you started Veradigm registration.

The Authorize Veradigm screen appears.


AUTHO	RIZE VERADIGM
your permission	ou back to Veradigm, we need to share your verified identity information.
	nly information obtained from on process will be shared.
Vera	digm will receive:
First Name	Middle Name
Last Name	Phone
Street	City
State	Postal Code
Birth Date	Email
	e this access at any time by ir ID.me account settings.
	Allow
	Deny

**x**. Click **Allow**.

**Important**: If you click **Deny**, you'll need to repeat most of the account creation and ID verification process in this guide to set up ePrescribe.

Your ID.me account is now linked to your Veradigm (formerly Allscripts) security account, and you are logged out automatically.

**Important:** If ID.me was not able to complete the identity proofing process, you will need to follow an alternate verification process, which involves completing a video conference with an ID.me representative (Trusted Referee) to confirm your identity.



#### Alternate verification process

If you receive a message stating that your identity could not be verified, do the following:

- i.) On your smart device, click Schedule Now.
- ii.) Click Get Started.
- iii.) Select a preferred date and time, and then click Continue.
- iv.) Confirm your personal information, and then click Continue.
- **v**.) Select a primary and secondary identification document. Refer to <u>https://help.id.me/hc/en-us/articles/360012933634-What-is-a-Primary-or-Secondary-Identification-Document-</u> for information about acceptable primary and secondary documents.
- vi.) Click Continue.
- vii.)From your smart device, take and upload photos of your identification documents, and then tap **Continue**.
- **viii**.)When your photos are received, in the ePrescribe window, enter your mobile phone number, and then click **Continue**.
- **ix**.) On you smart device, click the link in the text message that you receive from ID.me, and then take a photo of yourself using the device's camera.
- x.) Under Selfie, tap Choose.
- xi.) Tap Choose file, and then select the photo that you took of yourself.
- xii.) Tap Submit Selfie.

In the ePrescribe window, a confirmation that your video call appointment with an ID.me referee has been scheduled appears.

### **Finishing ePrescribe Setup**

After your ID.me account is successfully created and linked to your Veradigm (formerly Allscripts) security account, you'll need to finish the ePrescribe setup.

1. Close and reopen ePrescribe using the web address eprescribe.allscripts.com.

Note: You will use the web address eprescribe.allscripts.com going forward to create prescriptions.

#### The Home Address page appears.

🗑 Tasks - ePrescribe		—	×
			 ^
Home Address			
*Home Address			
Home Address 2			
*City			
*State	Select a State 🗸		
*ZIP Code			
Submit Cance			4

2. Enter your home street address, and then click Submit.

The **NPI Verification** page appears.

🗑 Tasks - ePrescribe		— C	ı x	
				1
		L	oqout	
NPI Verification				
Please provide your details for	NPI verification.	* = R	lequired	
* First Name	Marie			
* Last Name	Hayes			
* NPI	3886802073			
	SUBMIT CANCEL			

3. Verify that your name and NPI are correct, and then click **Submit**.

The **Congratulations!** page appears.

😨 Tasks - ePrescribe			×
			^
veradigm			
Congratulations!			
Congratulations! you are now able to use ePrescribe. Click Next to start ePrescribing. Next			
Contact us: eprescribe.allscripts.com/help   🖂 ePrescribeSupp	<u>port@Ve</u>	eradigm.c	om
2.0.3.0		Close	

4. Click Next.

The End User License Agreement page appears.

🧧 Tasks - ePrescribe			×
	Heathe	AF Clin r Tompkir Logout	is 🗋
End User License Agreement			
I Agree I Decline			
Allscripts ePrescribe <sup>™</sup> Services Agreement THIS IS A LEGAL AGREEMENT BETWEEN YOU (DEFINED BELOW) AND ALLSCRIPTS HEALTHCAF ("ALLSCRIPTS") BY CLICKING "I AGREE" OR BY OTHERWISE SIGNING UP FOR AN ACCOUNT, OI OR USING THE EPRESCRIBE SERVICES (DEFINED BELOW), YOU ARE ENTERING INTO THIS ALL ePRESCRIBE SERVICES AGREEMENT (THE "AGREEMENT") AND YOU AGREET O BE BOUND BY CONDITIONS. YOU REPRESENT THAT YOU ARE ACTING ON BEHALF OF YOURSELF, AS AN INDI YOUR EMPLOYER (COLLECTIVELY, "YOU"). Please read this agreement carefully, and do not sign to use the ePrescribe Services if You are unwilling or unable to be bound by this Agreement.	R BY ACC SCRIPTS ITS TERM VIDUAL, A	S IS AND AND	^

5. Review the agreement, and then click **I Agree**.

If the **Password Setup** page appears, proceed to the next step; otherwise, skip to step 16.

👩 Tas	ks - ePrescribe
Das	sword Setup
T US	
4	Why am I seeing this?         Your current practice settings allow you to setup a password that can be used for certain features such as:         • Setting up users for the electronic prescribing of controlled substances         • Prescribing controlled substances electronically         • Accessing the iPhone and Mobile versions of ePrescribe         Note that these features are dependent on your current practice configuration. Please contact your system administrator with questions.
	Username: hschein_TH1.Tompkins.Heat.1  Password:  * Confirm Password:  Setup Password Skip Setup For Now  Password Skip Setup For Now Password Skip Set

6. If you need to set up users to prescribe controlled substances electronically, or if you need to prescribe controlled substances electronically, enter a password in the **Password** and **Confirm Password** boxes, and then click **Setup Password**.

If you have multiple sites set up in ePrescribe (as explained in "Adding Sites in ePrescribe" on page <?>), the site selection page appears.

Please select the account fr	rom which you are	practicing today:	
My Dental Corporati	on 🗸		
AF Clinic			
O My Dental Corporation	n		
		_	
Keep me logged into the s			
Make this my default site	(do not ask me agair	1)	
Select			
			20.1.2.126
2.0.3.0	Powered by Allscri	ipts	Close

- 7. Select a site.
- **8**. Select any of the following check boxes as needed:
  - Keep me logged into the selected site until the end of the day When you click Select, for the rest of the day, ePrescribe will not prompt you to select a site.
  - Make this my default site (do not ask me again) When you click Select, ePrescribe will always log you in to the selected site and will never again prompt you to select a site.

**Note**: With neither check box selected, ePrescribe will prompt you to select a site each time you open that module from DentalVision.

9. Click Select.

### Linking an ePrescribe Account

After you enable a provider's user account to use ePrescribe, if the provider has been signed up with ePrescribe previously and already has an active Electronic Prescribing of Controlled Substances (EPCS) account through ID.me, that provider must link his or her EPCS account to ePrescribe. The provider will need his or her Veradigm (formerly Allscripts) security account credentials, which are the login ID and password associated with the provider's ePrescribe user account.

#### To link an ePrescribe account

1. Log in to the ePrescribe website at hseprescribe.com/access with a user account that has been enabled to use ePrescribe.

If you have not used ePrescribe yet, the **Welcome to the Veradigm Security Account Activation Wizard!** page appears.

veradigm.	ivation Wizard!
Enroll Now	Link Accounts
Please use this option to create a new Veradigm Security Account.	Please use this option to use an existing Veradigm Security Account Login if you have one.
Sign Up	Link Accounts

2. Click Link Accounts.

The Veradigm Security Account: Link to Existing Account page appears.

Veradigm Security Account: Link to Existing Account						
Please enter your Veradigm Security Account credentials to link to your existing account						
* Security Account Name: * Password:						
If you have forgotten your User Name or Password, please log into the system you originally used to configure your Veradigm Security Account to view user name and/or change password.						
Link Account Not a registered user? Enroll now						

- 3. Enter the correct credentials in the Security Account Name and Password boxes.
- 4. Click Link Account.

A confirmation message that contains some basic account information appears.



5. Click Next.

The Home Address page appears.

🗑 Tasks - ePrescribe		—	×
			^
			_
Home Address			
*Home Address			
Home Address 2			
*City			
*State	Select a State 🔽		
*ZIP Code			
Submit Cance	]		

6. Enter your home street address, and then click **Submit**.

The **NPI Verification** page appears.

🧃 Tasks - ePrescribe			—		×
		•			~
				Logou	<u>it</u>
NPI Verification					
Please provide your details for	NPI verification.		_	* = Requi	red
* First Name	Marie				
* Last Name	Hayes				
* NPI	3886802073				
	SUBMIT CANCEL				

7. Verify that your name and NPI are correct, and then click **Submit**.

The **Congratulations!** page appears.

Tasks - ePrescribe	—		×
			^
veradigm.			
Congratulations!			
			-
Congratulations! you are now able to use ePrescribe. Click Next to start ePrescribing.			
Next			
Contact us: eprescribe.allscripts.com/help   🖂 ePrescribeSup	port@Ve	eradigm.c	om
2.0.3.0		Close	

8. Click Next.

The End User License Agreement page appears.



9. Review the agreement, and then click I Agree.

If the **Password Setup** page appears, proceed to the next step; otherwise, skip to step 17.

e Tasks - ePrescribe	
Password Setup	
Why am I seeing this?     Your current practice settings allow you to setup a password that can be used for certain     Setting up users for the electronic prescribing of controlled substances     Prescribing controlled substances electronically     Accessing the iPhone and Mobile versions of ePrescribe     Note that these features are dependant on your current practice configuration. Please co	
* Password:	At least 8 characters and Maximum 25 characters     At least 3 of the 4:         1 upper case letter         1 lower case letter         1 numeric character         1 punctuation character

10. If you need to set up users to prescribe controlled substances electronically, or if you need to prescribe controlled substances electronically, enter a password in the Password and Confirm Password boxes, and then click Setup Password.

If you have multiple sites set up in ePrescribe (as explained in "Adding Sites in ePrescribe" on page <?>), the site selection page appears.

e Administration - ePresci	ibe	-	- 0	×
				F
Please select the account	t from which you a	are practicing today:		
My Dental Corpor	ation	~		
AF Clinic				
O My Dental Corpora	tion			
Keep me logged into th	e selected site until	the end of the day.		
Make this my default si	te (do not ask me ag	gain)		
Select				
			20.	1.2.126
2.0.3.0	Powered by Al	llscripts	Close	

#### **11**. Select a site.

**12**. Select any of the following check boxes as needed:

- Keep me logged into the selected site until the end of the day When you click Select, for the rest of the day, ePrescribe will not prompt you to select a site.
- Make this my default site (do not ask me again) When you click Select, ePrescribe will always log you in to the selected site and will never again prompt you to select a site.

**Note**: With neither check box selected, ePrescribe will prompt you to select a site each time you open that module from DentalVision.

#### 13. Click Select.

## **Registering for EPCS**

Each doctor who prescribes controlled substances electronically must complete a one-time registration for Electronic Prescribing of Controlled Substances (EPCS). ID.me is the Credential Service Provider (CSP) that providers will use to register for EPCS.

The following sections explain the registration process according to the number of providers who will prescribe controlled substances:

- One Provider
- Multiple Providers

### **One Provider**

If you have only one provider who uses ePrescribe to prescribe controlled substances, the Provider can complete the registration process (setup, identity verification, and approval).

#### Step 1 — To turn on EPCS

Prior to beginning the registration process, do the following:

- 1. Log in to DentalVision. Then, in the Office Manager, click the **ePrescribe Task Mode** toolbar button **b** to open ePrescribe in "task mode."
- 2. Click the **Settings** tab.
- 3. Click the Manage EPCS link.

Registration of Electronic Providers for EPCS										
Back										
Grant EPCS Privilege - View										
✓       Last       First       DEA       DEA       EPC S       EPC S       EPC S       EPC S         Name       Name       Number       Registrant       Suspended       Suspended       Status       Granted										
	5	Dennis	1,000	True	False	False	Not Registered	False		

- 4. From the list at the top, select Grant EPCS Privilege View.
- 5. Select the check box next to your name.
- 6. Click Grant EPCS Privilege.
- 7. Close ePrescribe to log out.

#### Step 2 — To set up approval

To set up the permissions for approval, do the following:

- 1. In the Office Manager, click the **ePrescribe Task Mode** toolbar **button** to open ePrescribe in "task mode."
- 2. Click the Settings tab.
- **3**. Click the **Edit Users** link.

Edit Use	ers					
Back						
Last Nan	me:	First Name:	Sea	arch 💿 Active 🔘	Inactive OA	II
	Login ID		Last Name 🔺	First Name	Status	
<u>Edit</u>	hschein_MCOOK.Cook.Ma	ria.1	Cook	Maria	Active	Reset Password

4. Click the **Edit** link to the left of your name.

Back Save
Vuser Information
Security Settings
State License
Vuser Preferences
CEPCS Settings
EPCS Permissions: Registered 🕡 🗹 EPCS Approver

- 5. Scroll to the bottom. Under EPCS Settings, select the EPCS Approver check box.
- 6. Scroll back to the top, and click **Save**.
- 7. Close ePrescribe to log out.

#### Step 3 — To approve

After setting up the approval permission, do the following:

- 1. Open ePrescribe as explained in "Opening ePrescribe" in the Usage chapter.
- 2. On the right, under Urgent Message, click the Manage EPCS Approvals link.

If you have successfully completed registration, your name appears.

Regi	Registration of Electronic Providers for EPCS										
Back	Back										
Approve Provider for EPCS Signing Permission - View											
	Last First DEA DEA Registrant Suspended EPCS Registration Signing Granted Status Granted										
~	Cook	Maria	-	True	False	True	Not Registered	False			

**3**. Select the check box next to your name.

#### 4. Click Approve EPCS Signing Privilege.

The due diligence dialog box appears.

when you assign EPC-5 per	missions to others, you must co	nfirm a number of its	ems are true.
certify due diligence to ens	sure that the selected practitione	rs are eligible for EF	PCS as follows:
Either State or Federal	government identification was	used to verify their id	lentity.
State authorizations to standing.	practice and prescribe controlle	ed substances are co	urrent and in good
Either DEA registration registration under § 13	is are current, or exception has 01.22.	been granted from th	te requirement of
- William and Wanness To says	dian at head the set for the set h		
as an employee or at a	rking at healthcare facilities ope healthcare facility operated by uant to 38 U.S.C. 8153, the prac C. 7401-7408.	the Department of V	eterans Affairs on a
as an employee or at a contractual basis, purs	healthcare facility operated by uant to 38 U.S.C. 8153, the pract	the Department of V	eterans Affairs on a
as an employee or at a contractual basis, purs to do so under 38 U.S.	healthcare facility operated by uant to 38 U.S.C. 8153, the pract	the Department of V	eterans Affairs on a
as an employee or at a contractual basis, purs to do so under 38 U.S. User Name	healthcare facility operated by uant to 38 U.S.C. 8153, the pract	the Department of V	eterans Affairs on a

- 5. Review the information, and select all four check boxes.
- 6. Enter your Veradigm (formerly Allscripts) security account credentials in the User Name and Password boxes.
- 7. Select Authenticator from the Token Device list.
- **8**. In the **One Time Password (OTP)** box, enter the OTP that you generate with the ID.me Authenticator app on your smart device.
- 9. Click Accept.
- 10. Close ePrescribe to log out.

**Tip**: To verify that EPCS registration has been completed, so you can begin prescribing controlled substances, do the following:

- 1. Open ePrescribe as explained in "Opening ePrescribe" in the Usage chapter.
- 2. To open your ePrescribe user profile, click the pencil icon 🖍 next to the user name in the upper-right corner.
- **3.** Scroll to the bottom, and verify that **EPCS Permission** has "ON" next to it. If it does, you have the necessary permission to prescribe, sign, and send electronic prescriptions for controlled substances.

### **Multiple Providers**

If you have multiple providers who use ePrescribe to prescribe controlled substances, the following three individuals are required to complete the EPCS registration (two of the three must be DEA registrants):

- Admin Turns EPCS on for the Providers. <u>Cannot be a DEA registrant.</u>
- **Provider** Goes through the identity proofing. Is a DEA registrant.
- **Approver** Approves a Provider other than him or herself. Is a DEA registrant. (Providers approve each other.)

#### Step 1 — To turn on EPCS (Admin)

Prior to a Provider beginning the registration process, the Admin must do the following:

- Log in to DentalVision as the Admin. Then, in the Office Manager, click the ePrescribe Task Mode toolbar button to open ePrescribe in "task mode."
- 2. Click the Settings tab.

3. Click the Manage EPCS link.

Registration of Electronic Providers for EPCS								
Back								
Grant EPCS Privilege - View								
Grant EPCS Privilege 6								
<b>~</b>	Last Name	First Name	DEA Number	DEA Registrant	EPCS Suspended	EPC S Privilege Granted	EPCS Registration Status	EPCS Signing Granted
✓	Conk	Maria	1,000	True	False	False	Not Registered	False
	5 - Sh	Dennis		True	False	False	Not Registered	False

- 4. From the list at the top, select **Grant EPCS Privilege View**.
- 5. Select the check boxes next to the Providers to whom you are granting EPCS privileges.
- 6. Click Grant EPCS Privilege.
- 7. Close ePrescribe to log out. The Providers (from step 5) must also log out of ePrescribe.

#### Step 2 (Admin) — To set up the Approver

The Admin must set up the permissions for the Approver. Do the following:

- Log in to DentalVision as the Admin. Then, in the Office Manager, click the ePrescribe Task Mode toolbar button to open ePrescribe in "task mode."
- 2. Click the **Settings** tab.
- **3**. Click the **Edit Users** link.

Back						
Last Name: Search O Active All						
	Login ID	Last Name 🔺	First Name	Status		
Edit	hschein_MCOOK.Cook.Maria.1	Cook	Maria	Active	Reset Password	
<u>Edit</u>	hschein_DSMITH.Smith.Denn.1	Smith	Dennis	Active	Reset Password	
<u>Edit</u>	hschein_STEVE.Thompson.St.1	Thompson	Steve	Active	Reset Password	

4. Click the **Edit** link to the left of the Provider who will be the Approver.

Back Save
Vuser Information
✓ Security Settings
V State License
V User Preferences
EPCS Permissions: Registered 🕢 📝 EPCS Approver

5. Scroll to the bottom. Under **EPCS Settings**, select the **EPCS Approver** check box.

- 6. Scroll back to the top, and click Save.
- 7. Close ePrescribe to log out.

#### Step 3 (Approver) — To approve Providers

After the Admin sets up an Approver's permissions, the Approver (who must be a DEA registrant) must do the following:

- 1. Log in to as the Approver, and then open ePrescribe as explained in "Opening ePrescribe" in the Usage chapter.
- 2. On the right, under Urgent Message, click the Manage EPCS Approvals link.

A list of providers who have successfully completed registration appears.

Regis	Registration of Electronic Providers for EPCS								
Back	Back								
Approve Provider for EPCS Signing Permission - View									
Approve EPCS Signing Privilege									
	Last Name	First Name	DEA Number	DEA Registrant	EPCS Suspended	EPC S Privilege Granted	EPCS Registration Status	EPCS Signing Granted	
>	Cook	Maria	-	True	False	True	Not Registered	False	
	Smith	Dennis		True	False	True	Not Registered	False	
							1		

- **3**. Select the check box next to the Provider who you are approving for the signing of electronic prescriptions for controlled substances.
- 4. Click Approve EPCS Signing Privilege.

The due diligence dialog box appears.

nileit you assign Er	°CS permissions to others,	you must cor	nini a nuniver on	iento are inue.
certify due diligence	e to ensure that the selected	d practitioner	rs are eligible for B	PCS as follows:
Either State or F	Federal government identifi	ication was u	sed to verify their	identity.
State authorizat standing.	tions to practice and prescr	ibe controlle	d substances are (	current and in good
		rention has h	oon aronhod from	the requirement of
registration und				
registration und If the practitione as an employee contractual bas		facilities oper operated by t	ated by the Depar he Department of	tment of Veterans Affai Veterans Affairs on a
registration und if the practitione as an employee contractual bas to do so under 3	ler § 1301.22. r is working at healthcare f e or at a healthcare facility o is, pursuant to 38 U.S.C. 81	facilities oper operated by t	ated by the Depar he Department of	tment of Veterans Affai Veterans Affairs on a
registration und lifthe practitione as an employee contractual bas to do so under? User Name	ler § 1301.22. r is working at healthcare f e or at a healthcare facility o is, pursuant to 38 U.S.C. 81	facilities oper operated by t	ated by the Depar he Department of	tment of Veterans Affai Veterans Affairs on a
registration und If the practitione as an employee contractual bas	ler § 1301.22. r is working at healthcare f e or at a healthcare facility o is, pursuant to 38 U.S.C. 81	facilities oper operated by t 153, the prac	ated by the Depar he Department of	tment of Veterans Affai Veterans Affairs on a

- 5. Review the information, and select all four check boxes.
- 6. Enter your Veradigm (formerly Allscripts) security account credentials in the User Name and Password boxes.
- 7. Select Authenticator from the Token Device list.
- **8**. In the **One Time Password (OTP)** box, enter the OTP that you generate with the ID.me Authenticator app on your smart device.
- 9. Click Accept.
- 10. Close ePrescribe to log out.

**Tip**: To verify that EPCS registration has been completed for a Provider, so he or she can begin prescribing controlled substances, do the following:

- 1. Log in to DentalVision as the Provider, and then open ePrescribe as explained in "Opening ePrescribe" in the Usage chapter.
- 2. To open your ePrescribe user profile, click the pencil icon 🖍 next to the user name in the upper-right corner.
- **3.** Scroll to the bottom, and verify that **EPCS Permission** has "ON" next to it. If it does, you have the necessary permission to prescribe, sign, and send electronic prescriptions for controlled substances.

### **Adding Sites in ePrescribe**

For each location that you join to an existing group and enable for ePrescribe from DentalVision, you must add that location as a "site" from ePrescribe. A stand-alone location or the primary location of a group that you enable for ePrescribe from DentalVision is added automatically as a site in ePrescribe.

**Note**: If a user attempts to open ePrescribe while logged in to a location that has not been added as a site in ePrescribe, an error message appears, and the user will not be able to use ePrescribe until the location is added as an ePrescribe site.

#### To add a site in ePrescribe

- 1. Log in to DentalVision in the primary location of a group with a user account that has been enabled as an administrator for ePrescribe. Then, from the File menu, point to Providers, and then click Provider Table. Click e-Rx Tasks.
- 2. Click the **Settings** tab.
- 3. Click the Site Management link.

The Site Management page opens and displays a list of sites that have already been added in ePrescribe.

Sito	Management						
Sile	management						
Bad	:k						
0	Add New Site						
	Site Name		Address	State	Status		
	My Dental Corporation		1234 Maple Drive	UT	Active	Edit Pharmacy Favorites	*
Uni	iversal Account Settings						
Ac	count Name:		1.0				
	oodin namo.	My Denta	I Corporation				
Pr	references:	Show	Patient List				
		Show	RxInfo				
			Pre-Built Prescriptions				
M	edication Reference Search:	O Facts	& Comparisons 💿 Lexicom	р			
8	Save						

4. Click Add New Site.

Site Name:	
Address:	
City:	
-	
State:	AK 🗸
ZIP Code:	
Phone:	
Fax:	
Time Zone:	Central Time
	Allow Allscripts Remote Access
	Perform Generic Equivalent Searches
	Show and apply Branded Rx Discount Offers
	Allow InfoScripts
	Allow Patient Informational Copy
	Allow Maximum Daily Dose
Printing Preference:	● 1Up ○ 4Up
	Add Site Cancel

The options for adding a new site become available.

- 5. Set up the details for the site: name, address, phone number, fax number, time zone, general preferences, and printing preference.
- 6. Click Add Site.

Note: Do not confuse the Add Site button with the Save button (in the lower-left corner), which is for the Universal Account Settings section of the page.

# Usage

This chapter explains the workflow for opening ePrescribe and writing a prescription using ePrescribe. Hints on how to navigate through the ePrescribe module are also provided.

This chapter covers the following topics:

- Opening ePrescribe
- Adding and Editing Patients
- Adding and Editing Allergies
- Adding and Editing Problems
- Entering New Prescriptions

### **Opening ePrescribe**

You can open the ePrescribe module from the Prescriptions module of DentalVision so that you can prescribe medications and submit them electronically to the patient's pharmacy.


#### To open ePrescribe

1. Log in to DentalVision with a user account that has been enabled to use ePrescribe.

#### Notes:

- If this is the first time you are opening ePrescribe, for instructions on how to complete the initial identification verification process and agree to the terms and conditions in the EULA, see "Preparing for First-time Use" in the Setup chapter.
- ePrescribe users are stored in the DDB\_ERX\_USER\_BASE table of your DentalVision database.
- 2. From the File menu, point to Providers, and then click Provider Table.

The **Provider Table** dialog box appears.




- **3**. Click the e-Rx Tasks button.
- **4**. If you are using ePrescribe in "Test Mode," a dialog box will appear, indicating that ePrescribe is in Test Mode; click **OK** to continue. Otherwise, skip this step.

#### The ePrescribe module opens.

Prescriptions - ePrescribe					_ • •
Patient CROSBY, Brent November 11, 1973 (44 Y)   Male	<i>MRN</i> 20601	0066-00, 137137107			My Dental Corporation
Act. Allergies SulfADIAZINE - Oral Act. Problems ECHINOCOC MULTILOC LIVER	r, Tylanol Allaryy Ma 14. acta 16. aran arr			Last Sig	Help icon 2021 - 09:41 am
Act. Meds Coumadin, Tyler 1997 Retail Pharm. CS CVS 16936 Navigation MO. Pharm. CS WALGREE buttons			8		
Patient Tasks				(3.Wol	ters Klower Search
A Medication & Med Allergy repriciliation has not yet been	performed on this pa	atient.			URGENT MESSAGE
Review History         Select Dx >         Select Med >>>				Document Visit	
Patient ID Patient Name	DOB	Phone Number	Street Address	•	
20601 Crosby, Brent	11-Nov-1973	8015556177	1234 Oak St		There are 3 failed registration messages.
					registration measuges.
					View failed messages
					Start EPCS Registration
					Ŧ
10.68.0	Pow	ered by Allscripts			Close

#### Tips:

- The navigation buttons are located toward the middle-left area of the window.
- Clicking the **Help** icon opens the Veradigm (formerly Allscripts) ePrescribe Help system in your Web browser.



### **Editing Patients**

You can edit patient demographic information in ePrescribe.

#### To edit a patient

1. With the ePrescribe module open, click the pencil icon next to the patient name you want to edit.



#### The Edit Patient screen appears.

ncel Save &	Close Save & Prescribe Patient Allergy Amendments	
Phone		Mobile Phone:
* First Name		Middle Name:
* Last Name		Patient allows Yes Ves
		Patient allows Yes Disclosures to Health Plan:
* Date of Birth	01/01/1968	Patient Preferred English
* Gender	Female	Current Weight: 0 Ib 0 oz
Patient ID (MRN)		0.00 kg
Patient GUID		
Patient Status	Active O Inactive  Inactive patients will not be included in searches, reports and will not be checked for duplicity.	
* Address 1	A second	Current Height: 0 ft 0 in
Address 2		0.0 cm
* City	:	* State:
E-mail		* ZIP Code:
lected Pharmacy	None Entered [edit]	

- 2. Click Insurance Plan Information at the bottom, and fill in the insurance plan information.
- 3. When finished, do any of the following:
  - Click Save & Close to save the information and close the window.
  - Click Save & Prescribe to save the information and open the prescription window.
  - Click **Patient Allergy** to add allergy information for the patient.

## **Adding and Editing Allergies**

You can add and edit allergies for a patient in ePrescribe.

#### To add or edit an allergy

1. In ePrescribe, next to Active allergies, click the text "None entered" (or the text of any existing allergies).

Prescriptions - ePrescrib		
Patient	CROSBY, Brent November 11, 1973 (44 Y)   Male   MRN 20601	My Dental Corporation
-	s SulfADIAZINE - Oral Is ECHINOCOC MULTILOC LIVER	Last Sign In Jan 14, 2021 - 09:41 am Dennis Smith 🥜
	Coumadin, Tylenol 8 Hour, Tylenol Allergy Multi-Symptom CS CVS 16936 IN TARGET, 608 W MAIN ST, AMERICAN FOR MORE CS WALGREENS MAIL SERVICE, 8350 S RIVER PKWY, TEMPE MORE	

#### The Act. Allergies dialog box appears.

Act. Allergies			
Patient Allergy			
Active ● Inactive ● All			
Back Add Allergy N	lo Known Allergies		
Class/Medication	Reaction	Туре	Active Updated Date
SulfADIAZINE - Oral	Hives	Allergy	Y 01/24/2018 Edit EIE

**2**. Add or edit an allergy, specify that there are no known allergies, or specify that an allergy was entered in error (EIE):

#### • Add

a. Click Add Allergy.

The search options appear.

Drug Name       Dosage Form       Route         Penicillin G Benzathine       Suspension       Intramuscular         Penicillin G Benzathine & Proc       Suspension       Intramuscular         Penicillin G Pot in Dextrose       Solution       Intravenous         Penicillin G Potassium       Solution Reconstituted       Injection         Penicillin G Potassium in D5W       Solution       Intravenous         Penicillin G Procaine       Suspension       Intramuscular         Penicillin G Sodium       Solution Reconstituted       Injection         Penicillin G Sodium       Solution Reconstituted       Injection         Penicillin G Sodium       Solution Reconstituted       Injection         Penicillin V Potassium       Solution Reconstituted       Oral         Date when allergy first noticed/reported       1/24/2018       (mm/dd/yyyy) <ul> <li>Allergy</li> <li>Intolerance</li> <li>Reaction</li> <li>Anaphylaxis</li> <li>Anemia</li> <li>Arrightmia</li> <li>Asthma</li> <li>Solution</li> <li>Solution from the list. Then hold down the Control Key (Ctrl) and continue to select other control key (Ctrl) and continue to selec</li></ul>			
Penicillin G Benzathine       Suspension       Intramuscular         Penicillin G Benzathine & Proc       Suspension       Intramuscular         Penicillin G Potassium       Solution       Intravenous         Penicillin G Potassium       Solution Reconstituted       Injection         Penicillin G Potassium       Solution       Intravenous         Penicillin G Potassium       Solution       Intravenous         Penicillin G Potassium       Solution Reconstituted       Injection         Penicillin G Sodium       Solution Reconstituted       Injection         Penicillin V Potassium       Solution Reconstituted       Oral         Date when allergy first noticed/reported       1/24/2018       (mm/dd/yyyy) <ul> <li>Allergy</li> <li>Intolerance</li> <li>Reaction</li> <li>Naphylaxis</li> <li>Naphylaxis</li> <li>Solution from the list. Then hold down the first reaction from the list. Then hold down the Solution from the list. Then hold down the Solution from the list. Then hold down the Control Key (Ctrl) and continue to select other Control Key (Ctrl) and continue to select other reactions. When done, click the Save button. All selected reactions will be associated to the Clas or Medication selected.         Cough       Decreased libido       Solution selected.</li></ul>	Back Save		
Penicillin G Benzathine & Proc       Suspension       Intramuscular         Penicillin G Pot in Dextrose       Solution       Intravenous         Penicillin G Potassium       Solution Reconstituted       Injection         Penicillin G Potassium in D5W       Solution       Intravenous         Penicillin G Potassium in D5W       Solution Reconstituted       Injection         Penicillin G Potassium       Solution Reconstituted       Injection         Penicillin G Sodium       Solution Reconstituted       Injection         Penicillin G Sodium       Solution Reconstituted       Injection         Penicillin V Potassium       Solution Reconstituted       Oral         Date when allergy first noticed/reported       1/24/2018       (mm/dd/yyyy) <ul> <li>Allergy</li> <li>Intolerance</li> <li>Reaction</li> </ul> Abdominal pain Arraphylaxis       Intervence       If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Control Key (Ctrl) and continue to select other reactions from the list. Then hold down the Control Key (Ctrl) and continue to select other areactions. When done, click the Save button. All selected reactions will be associated to the Class or Medication selected.         Cough       Decreased libido       Intervence		Dosage Form	
Penicillin G Pot in Dextrose       Solution       Intravenous         Penicillin G Potassium       Solution Reconstituted       Injection         Penicillin G Potassium in D5W       Solution       Intravenous         Penicillin G Potassium in D5W       Solution       Intravenous         Penicillin G Potassium in D5W       Solution Reconstituted       Injection         Penicillin G Potassium       Solution Reconstituted       Injection         Penicillin G Sodium       Solution Reconstituted       Injection         Penicillin V Potassium       Solution Reconstituted       Oral         Date when allergy first noticed/reported:       1/24/2018       (mm/dd/yyyy) <ul> <li>Allergy</li> <li>Intolerance</li> <li>Reaction</li> </ul> Abdominal pain       If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Control Key (Ctrl) and continue to select other control key (Ctrl) and continue to select other reactions will be associated to the Class or Medication select other control key (Ctrl) and continue to select other continue	Penicillin G Benzathine	Suspension	Intramuscular
Penicillin G Potassium       Solution Reconstituted       Injection         Penicillin G Potassium in D5W       Solution       Intravenous         Penicillin G Potassium       Suspension       Intramuscular         Penicillin G Sodium       Solution Reconstituted       Injection         Penicillin G Sodium       Solution Reconstituted       Injection         Penicillin G Sodium       Solution Reconstituted       Injection         Penicillin V Potassium       Solution Reconstituted       Oral         Date when allergy first noticed/reported:       1/24/2018       (mm/dd/yyyy) <ul> <li>Allergy</li> <li>Intolerance</li> <li>Reaction</li> </ul> Abdominal pain       Injection, select (highlight) the first reaction from the list. Then hold down the first reaction from the list. Then hold down the Control Key (Cttr) and continue to select other actions. When done, click the Save button. All selected reactions will be associated to the Clas or Medication select dot.         Cough       Decreased libido       Solution selected.	Penicillin G Benzathine & Proc	Suspension	Intramuscular
Penicillin G Potassium in D5W       Solution       Intravenous         Penicillin G Potassium in D5W       Solution       Intravenous         Penicillin G Potassium       Suspension       Intramuscular         Penicillin G Sodium       Solution Reconstituted       Injection         Penicillin V Potassium       Solution Reconstituted       Oral         Date when allergy first noticed/reported:       1/24/2018       (mm/dd/yyyy) <ul> <li>Allergy</li> <li>Intolerance</li> <li>Reaction</li> </ul> Naphylaxis       Intolerance       If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Control Key (Cttr) and continue to select to the All constipation         Sough       Solution       Selected reactions will be associated to the Class or Medication selected.	Penicillin G Pot in Dextrose	Solution	Intravenous
Penicillin G Procaine       Suspension       Intramuscular         Penicillin G Sodium       Solution Reconstituted       Injection         Penicillin V Potassium       Solution Reconstituted       Oral         Date when allergy first noticed/reported       1/24/2018       (mm/dd/yyyy)            Allergy       Intolerance         If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Sthma Sthma Statuan         Sough       Control Key (Cttr) and continue to select other reactions will be associated to the Class or Medication select do the Class or Medication selected.	<ul> <li>Penicillin G Potassium</li> </ul>	Solution Reconstituted	Injection
Penicillin G Sodium Solution Reconstituted Injection Penicillin V Potassium Solution Reconstituted Oral Date when allergy first noticed/reported 1/24/2018 (mm/dd/yyyy)  Allergy Intolerance          Reaction         bit Allergy         Intolerance	Penicillin G Potassium in D5W	Solution	Intravenous
Penicillin V Potassium       Solution Reconstituted       Oral         Date when allergy first noticed/reported       1/24/2018       (mm/dd/yyyy) <ul> <li>Allergy</li> <li>Intolerance</li> </ul> Reaction       If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Asthma Statuant Statu	Penicillin G Procaine	Suspension	Intramuscular
Date when allergy first noticed/reported 1/24/2018 (mm/dd/yyyy)  Allergy Intolerance          Reaction         Abdominal pain         Anaphylaxis         Anaphylaxis         Anaphylaxis         Anaphylaxis         Anaphylaxis         Control Key (Cttr) and Continue to select (highlight) the first reaction from the list. Then hold down the Control Key (Cttr) and continue to select other reactions. When done, click the Save button. All selected reactions will be associated to the Class or Medication selected.         Cough         Decreased libido	Penicillin G Sodium	Solution Reconstituted	Injection
Allergy Intolerance  Reaction  Abdominal pain Anaphylaxis Arrhythmia Arrhythmia Stadycardia Constipation Cough Decreased libido  Allergy Intolerance  If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Control Key (Ctrl) and continue to select other reactions. When done, click the Save button. All selected reactions will be associated to the Class or Medication selected.	Penicillin V Potassium	Solution Reconstituted	Oral
Allergy Intolerance  Reaction  Abdominal pain Anaphylaxis Arrhythmia Arrhythmia Sathma Bradycardia Constipation Cough Decreased libido  Allergy Intolerance  If you would like to enter more than one reaction for a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Control Key (Ctrl) and continue to select other reactions. When done, click the Save button. All selected reactions will be associated to the Class or Medication selected.	Date when allergy first noticed/reported: 1/24/2018	(mm/dd/yyyy)	
Reaction         Abdominal pain         Anaphylaxis         Anemia         Arrighylaxis         Arrightylaxis         Arrightylaxis         Arrightylaxis         Arrightylaxis         Arrightylaxis         Barling			
Anaphylaxis       If you would like to enter more than one reaction         Anemia       If you would like to enter more than one reaction         Arrhythmia       Standard			
Anemia For a Class or Medication, select (highlight) the first reaction from the list. Then hold down the Asthma Status and Control Key (Ctrl) and continue to select other reactions. When done, click the Save button. All selected reactions will be associated to the Class or Medication selected. Decreased libido	Abdominal pain		
Arrhythmia Asthma first reaction from the list. Then hold down the Asthma Bradycardia Constipation selected ther Constipation selected reactions will be associated to the Class			
Asthma Control Key (Ctrl) and continue to select other reactions. When done, click the Save button. All constipation Selected reactions will be associated to the Clas or Medication selected. Decreased libido		101 4 01433 01	
Bradycardia     reactions. When done, click the Save button. All selected reactions will be associated to the Clas or Medication selected.       Decreased libido     or Medication selected.			
Constipation selected reactions will be associated to the Class Cough or Medication selected.			
Cough or Medication selected.			
		or Medication	selected.
Depression	Decreased libido		
	Depression	<b>T</b>	
	If Reaction not listed above,enter description below.		

- b. Select whether you want to search by Class or Medication.
- c. Type all or part of a class or medication that you want to search for in the **Search Class/Meds** search field, and then click **GO**.
- d. Select an item in the search results list
- e. Leave today's date, or enter the correct **Date when allergy first noticed/reported**.
- f. Select whether you are entering an Allergy or an Intolerance.
- **g**. Select the patient's **Reaction** to the specified allergen, or if the appropriate reaction is not listed, type a description in the field provided.
- h. Click Save.
- i. Repeat steps a-h as needed.
- Edit
  - a. Click an allergy's Edit link.

The options for editing the allergy appear.

SulfADI/	AZINE - Oral		
Save	Cancel		
	Active Inactive		
Reactio	n		
	Headache	*	
	Hives		
	Irregular menses		
	Irritability		
	Itching		
	Nausea		
	Paresthesia		
	Rash		
	Sexual dysfunction	=	
	Shock		
	Shortness of breath		
	Sleeplessness		
	Tachycardia		
	Tremor	Ŧ	
	If Reaction not listed above(enter description below)		
	Allergy O Intolerance		

- **b**. Select whether this allergy is **Active** or **Inactive**.
- **c**. Select a **Reaction**, or if the appropriate reaction is not listed, type a description in the field provided.
- d. Select whether this is an Allergy or Intolerance.
- e. Click Save.
- **f**. Repeat steps a e as needed.
- No known allergies
  - a. Click No Known Allergies.
  - b. Click **Back** to close the **Act. Allergies** dialog box.
- Entered in error
  - **a**. Click an allergy's **EIE** link.
  - **b**. Repeat as needed.
- 3. Click Back to close the Act. Allergies dialog box.

### **Adding and Editing Problems**

You can add and edit problems for a patient in ePrescribe.

#### To add or edit a problem

1. In ePrescribe, next to **Active problems**, click the text "None entered" (or the text of any existing problems).

		November 11, 1973 (44 Y)   Male   MRN 20601
Act. Problems ECHINOCOC MULTILOC LIVER	In Jan 14, 2021 - 09:41	
	Dennis Sr	ms ECHINOCOC MULTILOC LIVER
Act. Meds Coumadin, Tylenol 8 Hour, Tylenol Allergy Multi-Symptom		Coumadin, Tylenol 8 Hour, Tylenol Allergy Multi-Symptom

The Act. Problems dialog box appears.

Act. Problems					
Patient Diagnosis					
Back Add Diagnosis O Active	O Inactive / Resolved	All			
Diagnosis	Start Date ICD-9 Code	ICD-10 Code	SNOMED Code	Status	
Echinococcus multilocularis infection of liv	er 1/24/2018	B67.5		Active	Inactivate EIE

- 2. Add or inactivate a problem, or specify that a problem was entered in error (EIE):
  - Add
    - a. Click Add Diagnosis.

The search options appear.

chronic migraine	GO		
Back Save 🖌 Active 🛛	Date when diagnosis first noticed/reported:		
	1/24/2018		I
(	mm/dd/yyyy)		
Diagnosis		ICD-10 Code≑	
<ul> <li>Chronic migraine without</li> </ul>	t aura	G43.7	
<ul> <li>Chronic migraine without</li> </ul>	t aura, intractable	G43.71	
<ul> <li>Chronic migraine without</li> </ul>	t aura, intractable, with status migrainosus	G43.711	
Chronic migraine without	t aura, intractable, without status migrainosus	G43.719	
<ul> <li>Chronic migraine without</li> </ul>	t aura, not intractable	G43.70	
<ul> <li>Chronic migraine without</li> </ul>	t aura, not intractable, with status migrainosus	G43.701	
Chronic migraine without	t aura, not intractable, without status migrainosus	G43.709	

- **b**. Type all or part of a diagnosis that you want to search for in the **Search Diagnosis** search field, and then click **GO**.
- c. Select an item in the search results list
- d. If this is an active problem, select the Active check box.
- e. Leave today's date, or enter the correct **Date when diagnosis first noticed/reported**.

- f. Click Save.
- g. Repeat steps a-f as needed.

#### Inactivate

**a**. Click a problem's **Inactivate** link.

Note: The problem's Inactivate link becomes unavailable.

ICD9 Code	Diagnosis	Active	Start Date	
122.5	ECHINOCOC MULTILOC LIVER	Ν	Dec 4 2013	Inactivate <u>EIE</u>

- **b**. Repeat as needed.
- Entered in error
  - **a**. Click a problem's **EIE** link.
  - **b**. Repeat as needed.
- 3. Click Back to close the Act. Problems dialog box.

## **Entering New Prescriptions**

You can enter a new prescription into ePrescribe, which you will be able to view in the DentalVision Prescriptions module and the ePrescribe module.

#### To enter a new prescription

**Note**: The steps that follow are based on a provider/doctor role. However, for a POB (prescribe on behalf) user role, what you actually see may differ.

- 1. With the ePrescribe module open, do one of the following:
  - If you are a provider, click **Select Med** >>.
  - If you are someone who prescribes on behalf (POB) of another, select the provider whom you are prescribing on behalf of, and then click **New Rx >>**.

	Patient	Tasks		
Γ	Check In	Review History	Smith, Dennis 🔽	New Rx 🚿

#### The **Choose Medication** page opens.

Q	Search N	/ledicat	ion	GO	Patient History O My His	story 🔍 A	All Meds	O By G	Group: Select Gr	oup	W	rite Free F	Form Rx
Covera	age: Aval	eon									Pa	atient Opt	ions 🗸
Back		Add to	Script	Pad	Add & Review	Re	eview Scri	pt Pad					
				Medication	And Sig					Quantity	DAW	Refills	Days
	$\odot$			Acetaminop HOURS AS	h <u>en-Codeine #2</u> , 300-15 MG T NEEDED	lablet , TA	AKE 1 TO	2 TABL	ETS EVERY 4	36		0	3
	٢		4	Amoxicillin ,	, 250 MG Capsule , TAKE 1 CA	APSULE T	TWICE DA	AILY.		14		0	7
		\$	4		0 MG Packet , MIX THE CONT ID DRINK ONCE DAILY.	ENTS OF	F 1 PACK	ET IN 1	5ML OF	30		0	30
				Norvasc , 1	10 MG Tablet , TAKE 1 TABLE	T TWICE	DAILY.			60		0	30
	٢		4	SulfADIAZIN	NE , 500 MG Tablet , TAKE 1 T	ABLET 3	TIMES D	AILY.		21		0	7

#### Notes:

- The green, yellow, and red faces represent formulary indicators, which are based on the patient's insurance plan:
  - The green face indicates a preferred status.
  - The yellow face indicates an approved status.
  - The red face is indicates an unapproved status.

Additionally, the number next to the faces represents levels of preference within a formulary.

- A yellow triangle represents a pre-emptive drug utilization review (DUR) warning:
  - Drug to drug interactions
  - Adverse reactions
  - Dosage checks
  - Duplicate therapies
- 2. Search for medications by using any of the following options:
  - **Patient History** Search the medications prescribed previously for the patient.
  - My History Search the medications that you have prescribed in the past.
  - All Meds Search the entire medication database, which is maintained by Medi-Span.
- **3**. Do one of the following:
  - If you are using the **Patient History** or **My History** search option, do the following:
    - **a**. Select the check boxes of the desired prescriptions. Only complete prescriptions are available for selection.

P	Search N	/ledicat	ion	GO	Patient History C	My History	All Meds	O By G	Group: Select Gro	oup	W	/rite Free F	Form Rx
Covera	age: Aval	eon									P	atient Opt	tions 🗸
Back		Add to	Script	Pad >	Add & Review	v >>)	Review Scr	ipt Pad	)				
				Medication	And Sig					Quantity	DAW	Refills	Days
	٢				<u>cetaminophen-Codeine #2</u> , 300-15 MG Tablet , TAKE 1 TO 2 TABLETS EVERY 4 OURS AS NEEDED					36		0	3
✓	٢		4	Amoxicillin,	noxicillin , 250 MG Capsule , TAKE 1 CAPSULE TWICE DAILY.					14		0	7
		\$	4		0 MG Packet , MIX TH ID DRINK ONCE DAIL		S OF 1 PACI	KET IN 1	I5ML OF	30		0	30
				Norvasc , 1	0 MG Tablet , TAKE 1	TABLET T	WICE DAILY.			60		0	30
	٢		4	SulfADIAZI	<u>NE</u> , 500 MG Tablet , T	AKE 1 TABL	ET 3 TIMES I	JAILY.		21		0	7

**Note**: If you select a medication with either a yellow or a red face, the **Formulary Alternatives** panel on the right may be populated, allowing you to choose an alternative medication, which may result in a lower co-payment for the patient.

Drug Name	Status
Drug Name	Status
Fluticasone Propionate	🙄 1
Nasonex	🙂 1
Veramyst	🙂 <sup>1</sup>
Nasacort AQ	<u> </u>
Omnaris	<u> </u>

**b.** To the right of any medication name, you can change the **Quantity**, **DAW**, **Refills**, and/or **Days** as needed.

- If you are using the **All Meds** search option, do the following:
  - a. Type a medication name in the Search Medication search field, and then click GO.

Ø n	orvasc	GO Patient H	listory 🔍 My History 🤇	All Meds 🔍 By	Group: Select Group	Write Free Form Rx
Coverag	ge: CVS/Caremark C	CMX00339				Patient Options 🗸
Back	Select Sig 义					
		Drug Name	Strength	Unit	Dosage Form	Route
۲		Norvasc	10	MG	Tablet	Oral
0		Norvasc	2.5	MG	Tablet	Oral
0		Norvasc	5	MG	Tablet	Oral

- **b**. Select the desired medication.
- c. Click Select Sig >.

The **Choose SIG** page opens.

oose Sig : Preferred			
hoose or write a SIG for Norvasc 10 MG	Fablet Oral :		
Back Patient Ed Sheet Change Med	Add to Script Pad	Add & Review >>	
Preferred O All O Write Free Text SIG	3		
TAKE 1 TABLET TWICE DAILY. TAKE 1 TABLET DAILY AS DIRECTED.			
TAKE 1 TABLET DAILY AS DIRECTED. TAKE 1 TABLET DAILY FOR BLOOD PF TAKE 1 TABLET DAILY.	ESSURE.		Ŧ
* Days Supply: 30 * Quantity: 60	]		
* Refills: 0	Dispens	se As Written	
Library -	Admin & Dosage		
ecial instructions to pharmacist Note: sh	ould not be used for patient instruct	ons or comments	
			*
			-

- **d**. Select the appropriate sig for the medication being prescribed:
  - **Preferred** Displays a list of the common ways of prescribing this medication.
  - All Provides every generic option of prescribing a medication.
  - Write Free Text SIG Allows you to write complex directions or to write a sig that cannot be found for Preferred or All.
- e. Set up the following options:
  - **Days Supply** Type the number of days needed for the prescription. Based on the sig and instructions, the correct **Quantity** is entered automatically. However, if your practice dispenses medication by quantity, type a **Quantity** to have the **Days Supply** entered automatically.

**Note**: If the calculated quantity on the sig page is above 9,999, a quantity alert appears.

- **Refills** Type the number of refills for this prescription.
- **Choose Package/Unit** If this option is available, the list displays packages or units from the smallest to the largest package size.

Choose Package/Unit:	GM 🗸
	GM
	EA
	16 GM Bottle

- Dispense as Written Select this check box if no substitutes may be given at the pharmacy.
- Library Admin & Dosage Click this link to be directed to the Wolters Kluwer facts and comparisons library (Deluxe users only).
- **Special instructions to pharmacist** Type any additional comments that you want to send with the prescription to the selected pharmacy. The pharmacy staff will be the only ones who see these comments as this is not for communication with the patient.
- To enter a free-form prescription (for a unique prescription), do the following:
  - a. Click Write Free Form Rx.
  - **b.** Next to **Please choose**, select whether this is a **Compound Medication** or a **Supply Item**. If it is a compound medication, and it is a controlled substance, select the **Controlled Substance Medication** check box.
  - c. In the Medication field, type a medication. This field has a maximum limit of 105 characters.

Choose Medication		Search My Rx History	Search All Meds
L Enter the nam	e of the drug (Max characters allowed is 105)		
Change Med	Select Sig		
* Please choose:	Compound Medication O Supply Item	Controlle	d Substance Medication
* Medication:			
		-	
	(Maximum 105 Characters / 105 characters remaining)		

d. Click Select Sig.

hoose Sig : Free Text	
Choose or write a SIG for Norvasc:	
Back Patient Ed Sheet Change Med Add to Script Pad > Add a	& Review >>
O Preferred O All  Write Free Text SIG	
(Maximum 140 Characters / 140 characters remaining)	
	*
	<b>T</b>
* Days Supply:	
* Quantity: ML V	
* Refills: 0 Dispense As V	whiten
pecial instructions to pharmacist Note: should not be used for patient instructions or comm	nents
	*
	-
laximum 210 Characters / 210 characters remaining)	

- e. In the field, type a free-form prescription. This field has a maximum limit of 140 characters.
- **f**. Set up the following options:
  - **Days Supply** Type the number of days needed for the prescription.
  - **Quantity** Type the quantity of this medication to dispense, and select the unit (such as ML) to dispense this medication in.
  - **Refills** Type the number of refills for this prescription.
  - Dispense as Written Select this check box if no substitutes may be given at the pharmacy.

- **Special instructions to pharmacist** Type any additional comments that you want to send with the prescription to the selected pharmacy. The pharmacy staff will be the only ones who see these comments as this is not for communication with the patient.
- **4**. Do one of the following:
  - To add a medication to your script pad (similar to a shopping cart at an online store) and continue prescribing, click **Add to Script Pad** >. You are returned to the **Choose Medication** page. Repeat steps 1–3 as needed to enter another prescription.
  - If you are done prescribing, to add a medication to your script pad and review your script pad for patient safety and accuracy, click **Add & Review** >>.
- 5. After you click **Add & Review**, if the **DUR Check** (Drug Utilization Review) page appears, read and respond to it appropriately. Otherwise, if there are no DUR warnings to show, the **DUR Warning** page does not appear, so skip this step.

OUR Check		COVERAGE & CO-PAY		
Back Continue		SURVERSE SOL NO.		
or more similar m with medications	edications on the patient's active medication list. For all other DUR warnings, there are Drug interactions that have been identified rou have just prescribed. Please review the warnings listed and determine if current prescriptions need to be completed or if the	SCRIPT PAD		
		SulfADIAZINE 500 MG Table		
Prior Adverse Reaction	8	<ul> <li>QUANTITY 21 Tablet - REFIL</li> <li>0 - TAKE 1 TABLET 3 TIMES</li> </ul>		
Warning	Warning         The use of SulfADIAZINE Oral Tablet 500 MG may result in an allergic reaction based on a reported history of allergy to SulfADIAZINE Oral Tablet 500 MG.(Reaction Category: Allergic, Symptoms: Hives)         se Check         Medication Name         Norvasc       The daily dose of 2 tablets exceeds the usual dose of 0.25 to 1 tablet. The frequency of 2 times per day exceeds the usual frequency of daily.			
SulfADIAZINE	Edit Remove Acetaminophen-Codeine #2 300-15 MG Tablet - QUANTIT			
Medication Name		<ul> <li>36 Tablet - REFILL 0 - TAKE 1 TO 2 TABLETS EVERY 4</li> </ul>		
Norvasc		HOURS AS NEEDED - 3 DAY - DAW		
SulfADIAZINE	The daily dose of 3 tablets is below the usual dose of 4 to 8 tablets.	Edit Remove		
opyright 2017 CDI, LLC.	All rights reserved	Norvasc 10 MG Tablet - QUANTITY 60 Tablet - REFIL 0 - TAKE 1 TABLET TWICE DAILY 30 DAYS Edit Remove		
		Review Script Pad		

The **DUR Check** page displays all DUR warnings on one screen for all listed medications. The warnings are grouped by category (Prior Adverse Reaction, Duplicate Therapy, Drug to Drug Interaction, and so forth). Do the following:

- **a**. Under **Script Pad** (on the right), for any of the prescriptions listed, click **Edit** to change the prescription or **Remove** to delete the prescription.
- b. Click Continue.


Note: You cam click Back to go back and choose a different medication for the patient, if necessary.

The Script Pad page appears.

Script Pad								
Select Med	Change Pharmacy	Process Script Pad >	Check Registry	State Registry	Checked			
Rx Date	Medication & Sig	Total Colorador Delegan	TARE I TARLET AT R	Destination			Action	s
01/24/2018 10:09 AM	TABLET EVERY 4 T	ninophen 5-325 MG Oral Ta O 6 HOURS AS NEEDED F et - REFILL 0 - Days Supply	OR PAIN DAW	Send to Pharmacy	~	CS	/	8
01/24/2018 10:09 AM	IN 15ML OF WATER	Packet - MIX THE CONTE AND DRINK ONCE DAIL et - REFILL 0 - Days Suppl	ί.	Print	~		/	8
01/24/2018 10:09 AM	DAILY.	oral Capsule - TAKE 1 CAP		Send to Pharmacy	~		/ 🗋	8


6. Review the listed prescriptions, and select the appropriate **Destination**.

#### For a provider



- Send to Pharmacy Send the prescription to the retail pharmacy last used by the patient.
- Send to Mail Order Send the prescription to the patient's mail order pharmacy.
- **Print** Print the prescription for the patient (for any prescription with a Schedule II V this is the default).
- Send to Assistant Save the prescription and send a task to the assistant's Task List to be processed at a later time.
- **Patient Reported** Record the prescription in the patient's medical record (does not print or send a prescription to the pharmacy).

#### For a prescribe on behalf of (POB)



- **Send to Pharmacy** Send the prescription to the retail pharmacy last used by the patient.
- Send to Mail Order Send the prescription to the patient's mail order pharmacy.
- **Print** Print the prescription for the patient (for any prescription with a Schedule II V this is the default).
- Send to Physician w/ Current Pharmacy Send the prescription to the physician with the current retail pharmacy selected (will show up in the doctor's Task List).
- Send to Physician w/ Mail Order Send the prescription to the physician with the current mail order pharmacy selected (will show up in the doctor's Task List).
- **Send to Physician** Send the prescription to the physician (will show up on the physician's **Tasks** tab).
- **Patient Reported** Record the prescription in the patient's medical record (does not print or send a prescription to the pharmacy).

Note: You can also perform any of the following Actions for a prescription: edit, duplicate, and delete.

- 7. For provider's in New York, to indicate that you have checked the state registry, select the **State Registry Checked** check box.
- **8**. If needed, do any of the following:
  - To add another medication, click **Select Med**.
  - To change the patient's selected pharmacy, click **Change Pharmacy**.
- **9.** To save the medications within the patient's record, and send the prescriptions to the selected destinations, click **Process Script Pad**.

If you are electronically sending any prescriptions for controlled substances to a pharmacy, the **Electronic Prescribing of a Controlled Substance Confirmation** dialog box appears. Proceed to step 10.

Pro	Date: 10/26/2012 wider: atient: macy:						
	Medication and Sig		Quantity	DAW	Refills	Days	
	Hydrocodone-Acetamino TO 6 HOURS AS NEEDE	ERY 4 30		0	5		
he abi	ove information to the pharmacy and DEA registration number ap User Name: DEA Number:	cation protocol at this time, you are legally si for dispensing. The two-factor authentication sear here.	protocol may only be con		y Sign		
Password: One Time Password (O.T.P):				Cancel			

- **10**. You must electronically sign any prescriptions for controlled substances that you want to electronically send to a pharmacy:
  - **a**. Select the check boxes of the prescriptions that you want to be processed.

Note: Your user name appears for your reference, and your DEA number is selected automatically.

- **b.** Enter your Veradigm (formerly Allscripts) security account credentials in the **User Name** and **Password** boxes.
- **c.** In the **One Time Password (O.T.P.)** box, enter the OTP that you generate with the ID.me Authenticator app on your smart device.
- d. Click Electronically Sign and Send.

### **Updating Patient Records**


After you add medical alerts/problems, medications, and allergies for a patient in ePrescribe, you can choose to add any or none of them to the corresponding patient's record in .

#### To update a patient's record

1. After entering prescriptions, allergies, and/or problems, close ePrescribe.

🗑 Pres	scriptions - ePre	escribe					
	Patient		<b>t</b> 4 Y)   Male   <i>MRN</i> 20601				My Dental Corporation
		ergies SulfADIAZINE - Oral oblems ECHINOCOC MULTILC eds Coumadin, Tylenol 8 H	C LIVER our, Tylenol Allergy Multi-Symp	tom		Last Sign I	/n Jan 14, 2021 - 09:41 am Dennis Smith 🧪
	MO. Pł	Pharm. CS CVS 16936 IN TAR harm. CS WALGREENS MAIL			S S	( Alineter	ers Klawer Search
	Patient Medication & M	Tasks led Allergy reconciliation has no Select Dx	t yet been performed on this pa	atient.		Document Visit	URGENT MESSAGE
Revie	Patient ID	Patient Name	DOB	Phone Number	Street Address		
۲	20601	Crosby, Brent	11-Nov-1973	8015556177	1234 Oak St		There are 3 failed registration messages.
							View failed messages
							Start EPCS Registration
							-
1.0.6	8.0		Pow	ered by Allscripts			Close

A dialog box appears, showing the progress of the download.



2. Click **Ok**.

The **Comparison** dialog box appears with the **Problems** tab selected.

**3**. Reconcile data on the CCR document with data already in the patient's record in DentalVision. You can click each tab or click **Previous** or **Next** to navigate between each tab. The following tabs are be available:

#### Problems

- **Data from Document** The list displays the problems on the document that you can add to the patient's record. For each problem, select **Add To** Patient or **Do Not Add** from the **Action** list to specify whether you want to add or not add the problem to the patient's record.
- **Data in** DentalVision The list displays the problems that already exist in the patient's record. For each problem, select **Keep**, **Update**, **Inactivate**, or **Remove** from the **Action** list. Data that is removed from DentalVision will be available only in an audit trail report.

#### Medications

- **Data from Document** The list displays the medications on the document that you can add to the patient's record. For each medication, select **Add To Patient** or **Do Not Add** from the **Action** list to specify whether you want to add or not add the medication to the patient's record.
- **Data in** DentalVision The list displays the medications that already exist in the patient's record. For each mediation, select **Keep**, **Update**, **Inactivate**, or **Remove** from the **Action** list. Data that is removed from DentalVision will be available only in an audit trail report.

#### Allergies

- **Data from Document** The list displays the medication allergies on the document that you can add to the patient's record. For each allergy, select **Add To Patient** or **Do Not Add** from the **Action** list to specify whether you want to add or not add the allergy to the patient's record.
- **Data in** DentalVision The list displays the medication allergies that already exist in the patient's record. For each allergy, select **Keep**, **Update**, **Inactivate**, or **Remove** from the **Action** list. Data that is removed from DentalVision will be available only in an audit trail report.
- **4**. To view all the resulting changes to the problems, medications, and allergies (based on your selections on each tab), click **Preview Consolidated List**. Then, click **OK** to close the preview dialog box.
- 5. Click Finish.

A confirmation message appears.

6. Click **Yes** to make the changes to the patient's record.

A summary of the reconciliation appears.

Description		Status		Discovered Date		SNOMED		Changed				
Added												
Existing												
Allergic To Latex Bleeding ASTHMA				Active		12/3/2	013		25875	0005	12/3/2013	
				Active		12/3/2	013				12/3/2013	
				Active	1/7/2014		30452	7002	1/7/2014			
Updated												-
Medications												
Description		Status		Туре		RxNor	m	NDC		Sia	Changed	
Added			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		İ							
Existing												_
Amoxicillin 500mg		Active		RX						Take 1 tablet	12/3/2013	
Amoxicillin 500mg		Active	RX							Take 1 tablet	12/5/2013	
CeleBREX 100 MG		Active	Med					00025	152031	take 1 pill in t	12/3/2013	
Updated												-
Allergies												
Description	Stat	tus	Rea	action	Seve	erity	Discov	vered Da	te	RxNorm	Changed	-
Added												
SulfADIAZINE - Oral	Activ	ve	Hives		Unknown		3/25/2015				3/25/2015	
Penicillin G Potassium - Injection	jection Inactive		Anaphylaxis		Unknown		1/14/2014				3/25/2015	
Existing												
Penicillins - CLASS	Penicillins - CLASS Active		Anaphylaxis(		Unknown		own 12/4/2013				12/4/2013	
Updated												

7. Click **OK**.